

Static Mixers: TAH 160, 161, 160A, 160AN, 161A & 161AN Styles

The TAH Series static mixers have a bell shaped inlet that fits a wide range of adhesive dispensers and dual barrel cartridges. Cleanup simply involves removing the static mixer and wiping the dispense valve's face. TAH static mixers are available from 3/16 inch inside diameter to 1/2 inch inside diameter with a range of element lengths.



Material of construction is Acetal and polypropylene.

All mixers competitively priced and in stock.

PART NO.	Mixing Elements	Element Dia. (in/ mm)	Housing Length (in/ mm)	Outside Dia. (in/ mm)	Outlet Tip Orifice (in/ mm)	Housing Outlet	Pressure Limit (Psi@75°F/ Bar@30°C)
7700810 (160-408SH)	8	0.189/ 4.80	2.62/ 6.65	0.300/ 7.62	0.07/ 1.78	Slip Luer	500/34
7026047 (160-408LL)	8	0.189/ 4.80	2.62/ 6.65	0.300/ 7.62	0.07/ 1.78	Luer Lock	500/34
7700811 (160-416)	16	0.189/ 4.80	3.90/ 9.91	0.300/ 7.62	0.07/ 1.78	Slip Luer	500/34
7700819 (160-424SH)	24	0.189/ 4.80	5.18/ 13.16	0.300/ 7.62	0.07/ 1.78	Slip Luer	500/34
7700817 (160-424LL)	24	0.189/ 4.80	5.18/ 13.16	0.300/ 7.62	0.07/ 1.78	Luer Lock	500/34
7700824 (160-432SH)	32	0.189/ 4.80	6.48/ 16.46	0.300/ 7.62	0.07/ 1.78	Slip Luer	500/34
7700822 (160-432LL)	32	0.189/ 4.80	6.48/ 16.46	0.300/ 7.62	0.07/ 1.78	Luer Lock	500/34
7700825 (160-448)	48	0.189/ 4.80	9.04/ 22.96	0.300/ 7.62	0.07/ 1.78	Slip Luer	500/34
7700826 (160-448LL)	48	0.189/ 4.80	9.04/ 22.96	0.300/ 7.62	0.07/ 1.78	Luer Lock	500/34
7700830 (160-608SH)	8	0.248/ 6.30	3.56/ 9.04	0.370/ 9.40	0.09/ 2.29	Slip Luer	360/25
7700829 (160-608LL)	8	0.248/ 6.30	3.56/ 9.04	0.370/ 9.40	0.09/ 2.29	Luer Lock	360/25

7700995 (161-212LL)	12	0.497/ 12.65	6.71/ 17.04	0.660/ 16.76	0.18/ 4.57	Luer Lock	270/19
7701001 (161-218)	18	0.497/ 12.65	9.08/ 23.06	0.660/ 16.76	0.18/ 4.57	Stepped	270/19
7701007 (161-218LL)	18	0.497/ 12.65	9.08/ 23.06	0.660/ 16.76	0.18/ 4.57	Luer Lock	270/19
7701010 (161-224)	24	0.497/ 12.65	11.60/ 29.46	0.660/ 16.76	0.18/ 4.57	Stepped	270/19
7701025 (161-224LL)	24	0.497/ 12.65	11.60/ 29.46	0.660/ 16.76	0.18/ 4.57	Luer Lock	270/19
7701028 (161-230)	30	0.497/ 12.65	14.09/ 35.79	0.660/ 16.76	0.18/ 4.57	Stepped	270/19
7701035 (161-230LL)	30	0.497/ 12.65	14.09/ 35.79	0.660/ 16.76	0.18/ 4.57	Luer Lock	270/19
7701038 (161-236)	36	0.497/ 12.65	16.63/ 42.24	0.660/ 16.76	0.18/ 4.57	Stepped	270/19
7701042 (161-236LL)	36	0.497/ 12.65	16.63/ 42.24	0.660/ 16.76	0.18/ 4.57	Luer Lock	270/19

Not all static mixers are listed, please contact us with questions about your needs.

Luer Lock, whip hoses and special adapters available.